INDEX, VOLUME 18, 1994

AUTHOR/TITLE INDEX

Afzal, M. and Cross, M.: GASFLO—Airflow distribution evaluation software tool for ducting systems of pellet induration processes, 408
Agrawal, S. and Jayaraman, G.: Numerical simulation of dispersion in the flow of power law fluids in curved tubes, 504
Ahmed, M.: *See* Esmail, M., 658
Akay, H. U.: *See* Ladeinde, F., 347
Altman, T.: *See* Boulos, P. F., 84
An, C-F.: *See* Barron, R. M., 486
An, C-F., Barron, R. M. and Zhang, S.: Arc length–stream function formulation and its application, 478
Askin, S. and Fenner, R. T.: Local boundary integral equation analysis of elastostatics problems using series expansions, 255
Assanis, D. N.: *See* Baker, D. M., 590

Bai, M., Ma, Q. and Roegiers, J.-C.: A nonlinear dual-porosity model, 602
Baker, D. M. and Assanis, D. N.: A methodology for coupled thermodynamic and heat transfer analysis of a diesel engine, 590
Balakrishnan, N.: *See* Harik, I. E., 400
Barron, R. M.: *See* An, C-F., 478
Barron, R. M., An, C-F. and Zhang, S.: Unsteady conservation streamfunction-coordinate formulation: 1-D isentropic flow, 486
Bland, J. A. and Dawson, G. P.: Large-scale layout of facilities using a heuristic hybrid algorithm, 500
Boffey, T. B.: *See* Manasse, P. R., 560
Bose, S. K.: *See* Dey, S., 265
Boulos, P. F., Altman, T., Jarrige, P.-A. and Collevati, F.: An event-driven method for modelling contaminant propagation in water networks, 84
Boyd, J. N. and Raychowdhury, P. N.: A geometrical approach to maximizing a variance, 697
Braddock, R., Filar, J., Zapert, R., Rotmans, J. and den Elzen, M.: The image greenhouse model as a mathematical system, 234
Budhu, M., Wu, C. S. and Contractor, D. N.: Modelling groundwater changes due to fluctuating dam discharge, 665
Bunday, B. D. and Tapsir, R.: The maintenance of unidirectionally patrolled stations, 298

Camden, M. P.: *See* Murty, V. D., 134
Castillo, J., McEachern, M., Richardson, J. and Steinberg, S.: Modelling the otolith membrane using boundary-fitted coordinates, 391
Chang, W.-J.: Transient hygrothermal responses in a solid cylinder by linear theory of coupled heat and moisture, 467
Chen, C.-K.: *See* Chiou, J.-S., 340
Chen, H.-T.: *See* Lin, J.-Y., 384
Chen, M. and Rahman, M.: Water wave diffraction analysis by boundary elements, 114
Chiou, J. S. and Kao, H. N.: Heat transfer characteristics of a MHD laminar jet flowing over a convex surface, 679
Chiou, J.-S., Yang, S.-A. and Chen, C.-K.: Laminar film condensation inside a horizontal elliptical tube, 340
Chou, C.-L.: *See* Yeh, J.-L., 39
Clay, C. L.: *See* Murty, V. D., 134
Collevati, F.: *See* Boulos, P. F., 84
Contractor, D. N.: *See* Budhu, M., 665
Corriga, G., Sanna, S. and Usai, G.: Parametric optimization of wind-excited vibration dampers for overhead transmission lines, 577
Cross, M.: *See* Afzal, M., 408; Hughes, M., 150

da Gama, R. M. S.: *See* Rachid, F. B. F., 207
Davis, R. P.: *See* Dogan, C. A., 142
Dawson, G. P.: *See* Bland, J. A., 500
Deleersnijder, E. and Luyten, P.: On the practical advantages of the quasi-equilibrium version of the Mellor and Yamada level 2.5 turbulence closure applied to marine modelling, 281
den Elzen, M.: *See* Braddock, R., 234
Dey, S. and Bose, S. K.: Bed shear in equilibrium scour around a circular cylinder embedded in a loose bed, 265
Dogan, C. A. and Davis, R. P.: Configuration of manufacturing software through capability specification and selection, 142
Domanti, S., McElwain, D. L. S. and Middleton, R. H.: Model of cold rolling of thin metal sheets between nonparallel rolls, 362
Dost, S.: *See* Tezer-Sezgin, M., 429

Elias, N.: *See* Stephanis, B., 628
Elkin, N. N. and Napartovich, A. P.: Numerical study of the stability of single-mode lasing in a Fabry–Perot resonator with an active medium, 513

Elmoselhi, H. O.: *See* Esmail, M., 658
Ermolin, Y. A.: A convenient nonanalytical method for solution of dynamic problems in one-dimensional distributed-parameters systems, 51
Esmail, M., Nabil, F., Tharwat, A., Magdy, E. and Elmoselhi, H. O.: A deficient spline function approximation to fourth order differential equations, 658

Fawzy, T.: *See* Esmail, M., 658
Fenner, R. T.: *See* Askin, S., 255
Filar, J.: *See* Braddock, R., 234

Gunn, E. A.: *See* Sarker, R. A., 672

Hansen, P. N.: *See* Hattel, J. H., 550
Harik, I. E. and Balakrishnan, N.: Stability of orthotropic rectangular plates, 400
Harr, M. E.: *See* Panchalingam, G, 635
Hart, V. G. and Shi, J.: Effects of initial stretches on wave speeds in thin orthotropic hyperelastic tubes containing fluid flow, 198
Hasan, M.: *See* Seyedein, S. H., 526
Hattel, J. H. and Hansen, P. N.: A 1-D analytical model for the thermally induced stresses in the mold surface during die casting, 550
He, J. and Sällfors, G.: An optimal point estimate method for uncertainty studies, 494
Henwood, D. J.: *See* Kirkup, S. M., 32
Hesse, C. H. and Ramos, E.: Dynamic simulation of a stochastic model for particle sedimentation in fluids, 437
Hitchings, D.: *See* Shi, J., 538
Homaifar, A., Lai, H. Y. and McCormick, E.: System optimization of turbofan engines using genetic algorithms, 72
Hromadka, T. V.: *See* Whitley, R. J., 423
Hughes, M., Pericleous, K. A. and Cross, M.: The CFD analysis of simple parabolic and elliptic MHD flows, 150
Hwang, W.-S.: *See* Yeh, J.-L., 39
Hyman, M. C.: *See* Sahin, I., 611

Jancys, E.: Mathematical model of the yearly averaged Wolf numbers, 641
Jarrige, P.-A.: *See* Boulos, P. F., 84
Jayaraman, D., Nadarajan, R. and Sitrarasu, M. R.: A general bulk service queue with arrival rate dependent on server breakdowns, 156
Jayaraman, G.: *See* Agrawal, S., 504
Jiashen, F. and Jibin, L.: Dynamic stability of liquid storage cylindrical tanks subjected to horizontal seismic force excitation, 373
Jibin, L.: *See* Jiashen, F., 373
Jin, Z.: *See* Zhao, Y., 328

Kaiser, K. L.: *See* Kaiser, M. J., 186
Kaiser, M. J., Kaiser, K. L. and Weeks, W. L.: Surface charge representations and a finite-difference method for approximating the charge flow equation, 186
Kao, H. N.: *See* Chiou, J. S., 679
Kiranoudis, C. T., Maroulis, Z. B. and Marinos-Kouris, D.: Production planning for multiproduct dehydration plants, 58
Kirkup, S. M.: Computational solution of the acoustic field surrounding a baffled panel by the Rayleigh integral method, 403
Kirkup, S. M.: The boundary and shell element method, 418
Kirkup, S. M. and Henwood, D. J.: An empirical error analysis of the boundary element method applied to Laplace's equation, 32
Knock, C. and Ryrie, S. C.: A varying time step finite-element method for the shallow water equations, 224
Knock, C. and Ryrie, S. C.: Parameterization of dispersion in the depth-averaged transport equation, 582
Koshnarjova, V. A.: *See* Melnikov, Y. A., 161
Kotsifaki, C. A.: *See* Markatos, N. C., 646

Ladeinde, F. and Akay, H. U.: The calculation of scalar transport during the injection molding of thermoset polymers, 347

INDEX, VOLUME 18, 1994

AUTHOR/TITLE INDEX

Afzal, M. and Cross, M.: GASFLO—Airflow distribution evaluation software tool for ducting systems of pellet induration processes, 408
Agrawal, S. and Jayaraman, G.: Numerical simulation of dispersion in the flow of power law fluids in curved tubes, 504
Ahmed, M.: *See* Esmail, M., 658
Akay, H. U.: *See* Ladeinde, F., 347
Altman, T.: *See* Boulos, P. F., 84
An, C-F.: *See* Barron, R. M., 486
An, C-F., Barron, R. M. and Zhang, S.: Arc length–stream function formulation and its application, 478
Askin, S. and Fenner, R. T.: Local boundary integral equation analysis of elastostatics problems using series expansions, 255
Assanis, D. N.: *See* Baker, D. M., 590

Bai, M., Ma, Q. and Roegiers, J.-C.: A nonlinear dual-porosity model, 602
Baker, D. M. and Assanis, D. N.: A methodology for coupled thermodynamic and heat transfer analysis of a diesel engine, 590
Balakrishnan, N.: *See* Harik, I. E., 400
Barron, R. M.: *See* An, C-F., 478
Barron, R. M., An, C-F. and Zhang, S.: Unsteady conservation streamfunction-coordinate formulation: 1-D isentropic flow, 486
Bland, J. A. and Dawson, G. P.: Large-scale layout of facilities using a heuristic hybrid algorithm, 500
Boffey, T. B.: *See* Manasse, P. R., 560
Bose, S. K.: *See* Dey, S., 265
Boulos, P. F., Altman, T., Jarrige, P.-A. and Collevati, F.: An event-driven method for modelling contaminant propagation in water networks, 84
Boyd, J. N. and Raychowdhury, P. N.: A geometrical approach to maximizing a variance, 697
Braddock, R., Filar, J., Zapert, R., Rotmans, J. and den Elzen, M.: The image greenhouse model as a mathematical system, 234
Budhu, M., Wu, C. S. and Contractor, D. N.: Modelling groundwater changes due to fluctuating dam discharge, 665
Bunday, B. D. and Tapsir, R.: The maintenance of unidirectionally patrolled stations, 298

Camden, M. P.: *See* Murty, V. D., 134
Castillo, J., McEachern, M., Richardson, J. and Steinberg, S.: Modelling the otolith membrane using boundary-fitted coordinates, 391
Chang, W.-J.: Transient hygrothermal responses in a solid cylinder by linear theory of coupled heat and moisture, 467
Chen, C.-K.: *See* Chiou, J.-S., 340
Chen, H.-T.: *See* Lin, J.-Y., 384
Chen, M. and Rahman, M.: Water wave diffraction analysis by boundary elements, 114
Chiou, J. S. and Kao, H. N.: Heat transfer characteristics of a MHD laminar jet flowing over a convex surface, 679
Chiou, J.-S., Yang, S.-A. and Chen, C.-K.: Laminar film condensation inside a horizontal elliptical tube, 340
Chou, C.-L.: *See* Yeh, J.-L., 39
Clay, C. L.: *See* Murty, V. D., 134
Collevati, F.: *See* Boulos, P. F., 84
Contractor, D. N.: *See* Budhu, M., 665
Corriga, G., Sanna, S. and Usai, G.: Parametric optimization of wind-excited vibration dampers for overhead transmission lines, 577
Cross, M.: *See* Afzal, M., 408; Hughes, M., 150

da Gama, R. M. S.: *See* Rachid, F. B. F., 207
Davis, R. P.: *See* Dogan, C. A., 142
Dawson, G. P.: *See* Bland, J. A., 500
Deleersnijder, E. and Luyten, P.: On the practical advantages of the quasi-equilibrium version of the Mellor and Yamada level 2.5 turbulence closure applied to marine modelling, 281
den Elzen, M.: *See* Braddock, R., 234
Dey, S. and Bose, S. K.: Bed shear in equilibrium scour around a circular cylinder embedded in a loose bed, 265
Dogan, C. A. and Davis, R. P.: Configuration of manufacturing software through capability specification and selection, 142
Domanti, S., McElwain, D. L. S. and Middleton, R. H.: Model of cold rolling of thin metal sheets between nonparallel rolls, 362
Dost, S.: *See* Tezer-Sezgin, M., 429

Elias, N.: *See* Stephanis, B., 628
Elkin, N. N. and Napartovich, A. P.: Numerical study of the stability of single-mode lasing in a Fabry–Perot resonator with an active medium, 513

Elmoselhi, H. O.: *See* Esmail, M., 658
Ermolin, Y. A.: A convenient nonanalytical method for solution of dynamic problems in one-dimensional distributed-parameters systems, 51
Esmail, M., Nabil, F., Tharwat, A., Magdy, E. and Elmoselhi, H. O.: A deficient spline function approximation to fourth order differential equations, 658

Fawzy, T.: *See* Esmail, M., 658
Fenner, R. T.: *See* Askin, S., 255
Filar, J.: *See* Braddock, R., 234

Gunn, E. A.: *See* Sarker, R. A., 672

Hansen, P. N.: *See* Hattel, J. H., 550
Harik, I. E. and Balakrishnan, N.: Stability of orthotropic rectangular plates, 400
Harr, M. E.: *See* Panchalingam, G, 635
Hart, V. G. and Shi, J.: Effects of initial stretches on wave speeds in thin orthotropic hyperelastic tubes containing fluid flow, 198
Hasan, M.: *See* Seyedein, S. H., 526
Hattel, J. H. and Hansen, P. N.: A 1-D analytical model for the thermally induced stresses in the mold surface during die casting, 550
He, J. and Sällfors, G.: An optimal point estimate method for uncertainty studies, 494
Henwood, D. J.: *See* Kirkup, S. M., 32
Hesse, C. H. and Ramos, E.: Dynamic simulation of a stochastic model for particle sedimentation in fluids, 437
Hitchings, D.: *See* Shi, J., 538
Homaifar, A., Lai, H. Y. and McCormick, E.: System optimization of turbofan engines using genetic algorithms, 72
Hromadka, T. V.: *See* Whitley, R. J., 423
Hughes, M., Pericleous, K. A. and Cross, M.: The CFD analysis of simple parabolic and elliptic MHD flows, 150
Hwang, W.-S.: *See* Yeh, J.-L., 39
Hyman, M. C.: *See* Sahin, I., 611

Jancys, E.: Mathematical model of the yearly averaged Wolf numbers, 641
Jarrige, P.-A.: *See* Boulos, P. F., 84
Jayaraman, D., Nadarajan, R. and Sitrarasu, M. R.: A general bulk service queue with arrival rate dependent on server breakdowns, 156
Jayaraman, G.: *See* Agrawal, S., 504
Jiashen, F. and Jibin, L.: Dynamic stability of liquid storage cylindrical tanks subjected to horizontal seismic force excitation, 373
Jibin, L.: *See* Jiashen, F., 373
Jin, Z.: *See* Zhao, Y., 328

Kaiser, K. L.: *See* Kaiser, M. J., 186
Kaiser, M. J., Kaiser, K. L. and Weeks, W. L.: Surface charge representations and a finite-difference method for approximating the charge flow equation, 186
Kao, H. N.: *See* Chiou, J. S., 679
Kiranoudis, C. T., Maroulis, Z. B. and Marinos-Kouris, D.: Production planning for multiproduct dehydration plants, 58
Kirkup, S. M.: Computational solution of the acoustic field surrounding a baffled panel by the Rayleigh integral method, 403
Kirkup, S. M.: The boundary and shell element method, 418
Kirkup, S. M. and Henwood, D. J.: An empirical error analysis of the boundary element method applied to Laplace's equation, 32
Knock, C. and Ryrie, S. C.: A varying time step finite-element method for the shallow water equations, 224
Knock, C. and Ryrie, S. C.: Parameterization of dispersion in the depth-averaged transport equation, 582
Koshnarjova, V. A.: *See* Melnikov, Y. A., 161
Kotsifaki, C. A.: *See* Markatos, N. C., 646

Ladeinde, F. and Akay, H. U.: The calculation of scalar transport during the injection molding of thermoset polymers, 347

Lai, H. Y.: *See* Homaifar, A., 72
transverse magnet, 23
Leonard, B. P.: Comparison of truncation error of finite-difference and finite-volume formulations of convection terms, 46
Lin, J.-Y. and Chen, H.-T.: Numerical solution of hyperbolic heat conduction in cylindrical and spherical systems, 384
Luyten, P.: *See* Deleersnijder, E., 281

Malmborg, C. J. and Shen, Y.-C.: Heuristic dispatching models for multi-vehicle materials handling systems, 124
Manasse, P. R. and Boffey, T. B.: Fire risk in linear segretated structures—fire door determination, 560
Ma, Q.: *See* Bai, M., 602
Marinos-Kouris, D.: *See* Kiranoudis, C. T., 58
Markatos, N. C.: *See* Savvas, T. A., 14; Theologos, K. N., 306
Markatos, N. C. and Kotsifaki, C. A.: One-dimensional, two-fluid modelling of turbulent premixed flames, 646
Maroulis, Z. B.: *See* Kiranoudis, C. T., 58
Matsumoto, T.: *See* Tanaka, M., 569
Mattos, H. C.: *See* Rachid, F. B. F., 207
McCormick, E.: *See* Homaifar, A., 72
McEachern, M.: *See* Castillo, J., 391
McElwain, D. L. S.: *See* Domanti, S., 362
Melnikov, Y. A. and Koshnarjova, V. A.: Green's matrices and 2-D elasto-potentials for external boundary value problems, 161
Middleton, R. H.: *See* Domanti, S., 362
Mujumdar, A. S.: *See* Seyedein, S. H., 526
Murty, V. D., Clay, C. L., Camden, M. P. and Paul, D. B.: Natural convection around a cylinder buried in a porous medium—Non-Darcian effects, 134

Nadarajan, R.: *See* Jayaraman, D., 156
Naot, D.: Response of shear flow turbulence to diffusional electromagnetic fluctuations:
Napartovich, A. P.: *See* Elkin, N. N., 513
Nguyen, T. C.: *See* Sahin, I., 611

Ohe, T. and Ohnaka, K.: A precise estimation method for locations in an inverse logarithmic potential problem for point mass models, 446
Ohe, T. and Ohnaka, K.: Boundary element approach for an inverse source problem of the Poisson equation with a one-point-mass like source, 216
Ohnaka, K.: *See* Ohe, T., 216, 446

Panchalingam, G. and Harr, M. E.: Modelling of many correlated and skewed random variables, 635
Papadopoulos, B. K.: *See* Stephanis, B., 628
Papaspyrides, C. D.: *See* Savvas, T. A., 14
Patnaik, P. R.: Dynamic sensitivity of a chemostat for a microbial reaction with substrate and product inhibition, 620
Paul, D. B.: *See* Murty, V. D., 134
Pericleous, K. A.: *See* Hughes, M., 150

Qin, Q. H.: Hybrid Trefftz finite-element approach for plate blending on an elastic foundation, 334

Rachid, F. B. F., da Gama, R. M. S. and Mattos, H. C.: Modelling of hydraulic transients in damageable elasto-viscoplastic piping systems, 207
Rahman, M.: *See* Chen, M., 114
Ramos, E.: *See* Hesse, C. H., 437
Raychowdhury, P. N.: *See* Boyd, J. N., 697
Richardson, J.: *See* Castillo, J., 391
Roegiers, J.-C.: *See* Bai, M., 602
Rotmans, J.: *See* Braddock, R., 234
Roux, W. J.: *See* Snyman, J. A., 453
Ryrie, S. C.: *See* Knock, C., 224, 582

Sahin, I., Hyman, M. C. and Nguyen, T. C.: Three-dimensional flow around a submerged body in finite-depth water, 611
Sällfors, G.: *See* He, J., 494
Sanna, S.: *See* Corriga, G., 577
Sarker, R. A. and Gunn, E. A.: Coal bank scheduling using a mathematical programming model, 672
Savvas, T. A., Markatos, N. C. and Papaspyrides, C. D.: On the flow of non-Newtonian polymer solutions, 14
Selvadurai, A. P. S.: *See* Yue, Z. Q., 170
Seyedein, S. H., Hasan, M. and Mujumdar, A. S.: Modelling of a single confined turbulent slot jet impingement using various k-ε turbulence models, 526
Shen, Y.-C.: *See* Malmborg, C. J., 124
Shih, L. Y.: Application of the Reiner–Rivlin model to the slow flow of ice gravel past a cylinder, 288
Shi, J.: *See* Hart, V. G., 198
Shi, J. and Hitchings, D.: Calculation of flutter derivatives and speed for 2-D incompressible flow by the finite-element method, 538
Sitrarasu, M. R.: *See* Jayaraman, D., 156
Smith, B. L.: *See* Xia, J. L., 691
Snyman, J. A., Stander, N. and Roux, W. J.: A dynamic penalty function method for the solution of structural optimization problems, 453
Soh, W. K.: On the thermodynamic process of a pulsating vapour bubble, 685
Stander, N.: *See* Snyman, J. A., 453
Stephanis, B., Papadopoulos, B. K. and Elias, N.: Investigation of multivariable systems, 628
Steinberg, S.: *See* Castillo, J., 391
Stojanović, M.: On the optimally convergent splines difference scheme for one-dimensional reaction-diffusion problem, 461
Sugden, S. J.: Construction of transmission line catenary from survey data, 274
Sung, J. C.: *See* Wong, D. C., 3
Sun, J.: *See* Zhao, Y., 328
Swaminathan, C. R. and Voller, V. R.: A time-implicit filling algorithm, 101

Tanaka, M., Matsumoto, T. and Yang, Q. F.: Time-stepping boundary element method applied to 2-D transient heat conduction problems, 569
Tapsir, R.: *See* Bunday, B. D., 298
Tezer-Sezgin, M. and Dost, S.: Boundary element method for MHD channel flow with arbitrary wall conductivity, 429
Theologos, K. N. and Markatos, N. C.: Modelling of vertical pneumatic-conveying hydrodynamics, 306

Usai, G.: *See* Corriga, G., 577

Villasenor, R.: A comparative study between an integral equation approach and a finite difference formulation for heat diffusion with nonlinear boundary conditions, 321
Voller, V. R.: *See* Swaminathan, C. R., 101

Weeks, W. L.: *See* Kaiser, M. J., 186
Whitley, R. J. and Hromadka, T. V.: Complex logarithms, Cauchy principal values, and the complex variable boundary element method, 423
Wong, D. C. and Sung, J. C.: Dynamic response of an inclusion with compliant interface in an elastic medium due to a plane shear wave, 3
Wu, C. S.: *See* Budhu, M., 665

Xia, J. L., Smith, B. L. and Yadigaroglu, G.: Transient and steady buoyancy-driven flow in a horizontal cylinder, 691

Yadigaroglu, G.: *See* Xia, J. L., 691
Yang, Q. F.: *See* Tanaka, M., 569
Yang, S.-A.: *See* Chiou, J.-S., 340
Yeh, J.-L., Hwang, W.-S. and Chou, C.-L.: An improved fluid flow model for slab tundishes and its comparisons with a full-scale water model, 39
Yuen, W. Y. D.: Transient temperature distribution in a multilayer medium subject to radiative surface cooling, 93
Yue, Z. Q. and Selvadurai, A. P. S.: On the asymmetric indentation of a consolidating poroelastic half space, 170

Zapert, R.: *See* Braddock, R., 234
Zhang, S.: *See* An, C-F., 478; Barron, R. M. 486
Zhao, Y., Jin, Z. and Sun, J.: The mathematical model for coupled solid deformation and methane flow in coal seams, 328

KEYWORD INDEX

Acoustics, 403
Airflow distribution in pipe networks, 408
Analytical method, 400
Analytical model, 602
Analytical solutions, 550
Analytical techniques, 467
Applications, 328
Arc length–stream function, 478
Asymptotics, 362
Availability, 298

Back-scattered field, 3
Baffle, 403
Batch reactor, 620
BEM formulation, 114
BEM, 429
Boundary element, 665
Boundary element method, 32, 216, 418, 569
Boundary integral equation, 255
Boundary integral equation method, 3
Boundary layer, 265

Carboxy-methyl cellulose, 14
Catenary, 274
Cavitation, 685
Ceramic-insulated engines, 590
CFD, 478, 486
Charge flow, 186
Coal bank, 672
Coal seam, 328

Coating, 550
Cold rolling, 362
Complex variables, 423
Complex variable boundary element method, 423
Compliant interface, 3
Component selection, 142
Computer performance, 298
Conduction, 93
Conservative, 486
Consolidation, 170
Constrained minimization, 453
Contact resistance, 93
Continuous reactor, 620
Continuum damage mechanics, 207
Convection, 46
Conveyor-belt dryers, 58
Convex surface, 679
Correlation, 635
Counter-gradient diffusion, 646
Coupled heat and moisture, 467
Coupled solid–gas, 328
Curve-fitting, 274
Curved tube, 504
Cylinder, 134
Cylindrical and spherical systems, 384

3-D flow, 265
3-D fluid flow analysis, 39
Dam, 665
Dampers, 577
Die casting, 550
Diffraction, 513
Diffusion number, 569
Discontinuity, 418
Discrete Fourier transform, 446
Dispersion, 582
Distributed-parameters system, 51
Divichlet problem, 423
Dynamic analysis algorithms, 84
Dynamic simulation, 437

Efficiency, 298
Eigenvalue, 697
Elastic buckling, 400
Elastic foundation, 334
Elastic potential energy, 697
Elasto-viscoplasticity, 207
Elastostatics, 255
Electric transmission line, 51
Electrohydrodynamics, 186
Elimination of harmonic term, 216
Error, 51
Error estimate, 216, 446
Estimation of location, 446
Exponential splines, 461

Facilities layout, 500
Finite difference method, 321
Finite-difference, 46, 186
Finite-element method, 538, 590
Finite elements, 134, 224, 582, 665
Finite-volume, 46
Fire risk, 560
Fire spread, 560
First-passage times, 437
Flow distribution, 84
Flow simulation, 14
Fluid flow, 198
Flutter derivative, 538
Flutter speed, 538
Fracture, 602
Fragmented ice, 288
Front tracking, 101

GASFLO, 408
General bulk service, 156
Generating function, 156
Genetic algorithms, 72
Glimm's method, 207
Greenhouse model, 234
Groundwater, 665

Half space, 170
Hartmann flow, 150
Heat balance integral, 93
Heat diffusion, 321
High-Re, 526
Horizontal cylinder, 691
Horizontal elliptical tube, 340
Horizontal seismic force, 373
Hot rolling, 93
Hybrid Trefftz finite element, 334
Hydraulic transients, 207
Hygrothermoelasticity, 467
Hyperbolic heat conduction, 384

Inclusion removal, 39
Indentation, 170
Initial stretches, 198
Injection molding, 347
Integer programming, 672
Integral equation method, 418
Integral equation, 321
Integral equations, 170
Interphase drag force, 306
Inventory, 58, 672
Inverse source problem, 216
Inverse logarithmic potential problem, 446

k-ε model, 523

Laminar film condensation, 340
Laminar jet, 679
Laplace's equation, 32, 418
Laser medium, 513
Least squares, 274
Linear eigenproblem, 513
Linear multistep method, 321
Linear spring model, 3
Linear or nonlinear dynamic stability problem, 373
Liquid storage cylindrical tank, 373
Local solution, 255
Lotka–Voltera system, 628
Low-Re, 526

Magnetic boundary layers, 150
Magnetohydrodynamics, 23
Manufacturing software, 142
Marine modelling, 281
Materials handling, 124
Mathematical modelling, 114, 161, 306
Mathematical programming, 142
Mathematical system, 234
Matrix-geometric algorithmic approach, 156
Matix, 602
Mellor and Yamada, 281
Methane, 328
MHD, 679
MHD Couette flow, 150
MHD flow, 429
Mixed layer deepening, 281
Model-fitting, 437
Modelling, 58
Mold filling, 101
Multiple products, 58
Multivariate systems, 628

n-dimensional Euclidean space, 697
N-dimensional Riemmanean space, 628

Natural circulation, 691
Natural convection, 134
Newton-Raphson, 274
Non-Darcian, 134
Nonlinear boundary conditions, 321
Nonlinear optimization, 58
Nonlinear boundary value problems, 161
Nonlinear dual-porosity, 602
Nonlinear eigenproblem, 513
Nonlinear model, 362
Non-Newtonian polymer solutions, 14
Numerical analysis, 569
Numerical grid generation, 391
Numerical method, 216, 328, 446
Numerical solution, 646
Numerical solutions, 658
Numerical, 504, 526, 691

Optical resonator, 513
Optimal convergence, 461
Optimal parameter estimation, 577
Optimization, 72, 494, 560
Ordinary differential equations, 658
Orthotropic tube, 198
Orthotropic, 400
Otolith membrane, 391
Overhead lines, 577

Parameter evaluation, 288
Particle sedimentation, 437
Pathological behavior, 281
Pellet induration systems, 408
Penalty function, 453
Phase-type distribution, 156
Pipe networks, 84
Plasticity, 362
Plate, 334
Plates, 400
Point estimate method, 494, 635
Point mass model, 446
Poisson equation, 216
Polling model, 298
Poly(vinyl chloride), 14
Poroelasticity, 170
Porous, 134
Potential flow, 478, 685
Power law fluids, 504
Prediction, 641
Premixed, 646
Principal parameter, 494
Principle of equivalence, 628
Principle of least action, 628
Probabilistic analysis, 494
Probability modeling, 635
Product inhibition, 620

Quadratic assignment, 500
Quasi-equilibrium, 281

Rayleigh damping, 373
Rayleigh integral method, 403
Rayleigh integral, 403
Reaction, 646
Reiner–Rivlin model, 288
Residence time, 39
Resistor networks, 590
Reynolds stresses, 23
River, 665

Scheduling, 672
Scouring, 265
Segregated structures, 560
Self-adjoint singularly perturbed problem, 461
Self-organization, 641

Semianalytical methods, 161
Sensitivity, 620
Series solution, 255
Settlement, 170
Shallow-water equations, 224, 582
Shear flow, 23
Shear model, 265
Shear stress, 265
Simulated annealing, 500
Single impinging jet, 526
Skewness, 635
Slow motion, 288
Sokhotski-Plemelj, 423
SOLA-SURF, 39
Solution optimization, 602
Spectral method, 504
Spline functions, 658
Stability, 400
Steady-state flow analysis in pipe networks, 408
Steam, 685
Step disturbances, 620
Step response, 51
Stochastic modelling, 437
Streamfunction coordinates, 486
Stress, 550
Structural optimization, 453
Substrate inhibition, 620
Surface charge, 186
Surface tension, 340
Survey data, 274
System simulation, 84

Tabu search, 500
Taylor's dispersion, 504
Temperature, 550
Thermodynamic diesel engine simulation, 590
Thermodynamics, 685
Thermoset polymers, 347
Time horizon, 58
Time-stepping scheme, 569
Time-stepping schemes, 224
Transfer function, 51
Transient heat transfer analysis, 590
Transient heat conduction, 569
Transient, 691
Transmission line, 274
Transport, 347
Truncation error, 46
Tundish, 39
Turbulence closure, 281
Turbulence model, 39
Turbulence, 23
Turbulent, 526, 646
Two-dimensional problem, 569
Two-dimensional, 161
Two-fluid, 646
Two-phase flow, 306

Unidirectional polling, 298
Unitary transformations, 697
Unknown leak determination, 408
Unsteady flow, 486

Vapor bubble, 685
Variance, 697
Variational principle, 334
Vehicle dispatching, 124
Vertical pneumatic conveying, 306

Water model, 39
Water quality, 84
Wave diffraction, 114
Wave speeds, 198
Wind-excited vibrations, 577
Wolf numbers, 641

Statement of Ownership, Management and Circulation
(Required by 39 U.S.C. 3685)

1A. Title of Publication	1B. PUBLICATION NO	2. Date of Filing
APPLIED MATHEMATICAL MODELLING	0 3 0 7 9 0 4 X	Oct. 1, 1994
3. Frequency of Issue: MONTHLY	3A. No. of Issues Published Annually: Twelve	3B. Annual Subscription Price: $585

4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Codes (Not printers)):
313 Washington Street, Newton, (Middlesex County) MA 02158-1626

5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printers):
Butterworth-Heinemann, 313 Washington Street, Newton, MA 02158-1626

6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank):

Publisher (Name and Complete Mailing Address):
Rita S. Kessel
Butterworth-Heinemann, 313 Washington Street, Newton, MA 02158-1626

Editor (Name and Complete Mailing Address):
Professor Mark Cross, Centre for Numerical Modelling and Process Analysis, Thames Polytechnic, Wellington Street, London SE18 6PF, UK

Managing Editor (Name and Complete Mailing Address):
Rebecca Hale
Butterworth-Heinemann, 313 Washington Street, Newton, MA 02158-1626

7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)

Full Name	Complete Mailing Address
Butterworth-Heinemann	313 Washington Street Newton, MA 02158-1626
A wholly owned division of Reed-Elsevier	255 Washington Street Newton, MA 02158-1626

8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state):

Full Name	Complete Mailing Address
NONE	N/A

9. For Completion by Nonprofit Organizations Authorized To Mail at Special Rates (DMM Section 424.12 only):
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one):

(1) ☐ Has Not Changed During Preceding 12 Months ☐ Has Changed During Preceding 12 Months (2) (If changed, publisher must submit explanation of change with this statement.)

10. Extent and Nature of Circulation (See instructions on reverse side)	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)	900	900
B. Paid and/or Requested Circulation 1. Sales through dealers and carriers, street vendors and counter sales	N/A	N/A
2. Mail Subscription (Paid and/or requested)	471	472
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)	471	472
D. Free Distribution by Mail, Carrier or Other Means Samples, Complementary, and Other Free Copies	86	64
E. Total Distribution (Sum of C and D)	557	536
F. Copies Not Distributed 1. Office use, left over, unaccounted, spoiled after printing	343	364
2. Return from News Agents	N/A	N/A
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)	900	900

11. I certify that the statements made by me above are correct and complete. Signature and Title of Editor, Publisher, Business Manager, or Owner: Rita Kessel Oct 1, 1994 (See instructions on reverse) Rita S. Kessel, Publisher

PS Form 3526, January 1991